


CERTIFICATE OF ANALYSIS

Lime Glow AT1063

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: JUL 26, 2021

SAMPLE [REDACTED] // CLIENT: [REDACTED] // BATCH: **PASS**



MATRIX: FLOWER
 CATEGORY: INHALABLE
 SAMPLE ID: [REDACTED]
 COLLECTED ON: JUL 20, 2021
 RECEIVED ON: JUL 20, 2021
 BATCH/SAMPLE SIZE: / 16 G
 SAMPLED BY: [REDACTED]
 RECEIVED BY: [REDACTED]

CANNABINOID OVERVIEW

TOTAL THC:	20.752 %
TOTAL CBD:	< LOQ %
TOTAL CANNABINOIDS:	25.628 %

BATCH RESULT: PASS

POTENCY	TESTED	MOISTURE	TESTED
FOREIGN	PASS	MYCOTOXINS	PASS
METALS	PASS	PESTICIDES	PASS
MICROBIAL	PASS	WATER	PASS

M-024: POTENCY BY HPLC // JUL 25, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.996/2.989	N/A	CBN		ND	ND	0.794/2.382	N/A
CBCA	< 1 mg/g	< 1 mg/g	< 1 mg/g	2.232/6.697	N/A	CBNA		ND	ND	2.901/8.704	N/A
CBD		ND	ND	1.094/3.281	N/A	Δ ⁸ -THC		ND	ND	1.299/3.896	N/A
CBDA	< 1 mg/g	< 1 mg/g	< 1 mg/g	0.905/2.716	N/A	Δ ⁹ -THC	0.379 %	3.79 mg/g	3.79 mg/g	1.192/3.577	N/A
CBDV		ND	ND	1.549/4.648	N/A	THCA	23.230 %	232.30 mg/g	232.30 mg/g	1.265/3.794	N/A
CBDVA		ND	ND	1.217/3.652	N/A	THCV		ND	ND	1.090/3.271	N/A
CBG	0.838 %	8.38 mg/g	8.38 mg/g	2.079/6.236	N/A	THCVA	< 1 mg/g	< 1 mg/g	< 1 mg/g	1.070/3.211	N/A
CBGA	1.181 %	11.81 mg/g	11.81 mg/g	1.982/5.947	N/A	TOTAL THC **	20.752 %	207.52 mg/g	207.52 mg/g		N/A
CBL		ND	ND	0.729/2.186	N/A	TOTAL CBD **	< 1 mg/g	< 1 mg/g	< 1 mg/g		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 DRY-WEIGHT AMOUNTS SHOWN

M-026A: PESTICIDES BY LC-MS/MS // JUL 25, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.010/0.040	PASS	FLUDIOXONIL	0.1 µg/g	ND	0.004/0.010	PASS
ACEPHATE	0.1 µg/g	ND	0.010/0.020	PASS	HEXYTHIAZOX	0.1 µg/g	ND	0.010/0.030	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.010/0.020	PASS	IMAZALIL	Any amt	ND	0.010/0.020	PASS
ACETAMIPRID	0.1 µg/g	ND	0.010/0.030	PASS	IMIDACLOPRID	5 µg/g	ND	0.010/0.020	PASS
ALDICARB	Any amt	ND	0.010/0.040	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.010/0.020	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.010/0.030	PASS	MALATHION	0.5 µg/g	ND	0.010/0.040	PASS
BIFENAZATE	0.1 µg/g	ND	0.010/0.030	PASS	METALAXYL	2 µg/g	ND	0.010/0.040	PASS
BIFENTHRIN	3 µg/g	ND	0.010/0.020	PASS	METHIOCARB	Any amt	ND	0.010/0.030	PASS
BOSCALID	0.1 µg/g	ND	0.010/0.030	PASS	METHOMYL	1 µg/g	ND	0.005/0.020	PASS
CAPTAN	0.7 µg/g	ND	0.700/0.230	PASS	METHYL PARATHION	Any amt	ND	0.010/0.040	PASS
CARBARYL	0.5 µg/g	ND	0.010/0.030	PASS	MEVINPHOS	Any amt	ND	0.010/0.030	PASS
CARBOFURAN	Any amt	ND	0.010/0.020	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.010/0.020	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.010/0.040	PASS	NALED	0.1 µg/g	ND	0.010/0.030	PASS
CHLORDANE	Any amt	ND	0.010/0.040	PASS	OXAMYL	0.5 µg/g	ND	0.004/0.010	PASS
CHLORFENAPYR	Any amt	ND	0.020/0.050	PASS	PACLOBUTRAZOL	Any amt	ND	0.010/0.030	PASS
CHLORPYRIFOS	Any amt	ND	0.010/0.030	PASS	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.010/0.030	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.010/0.030	PASS	PERMETHRIN	0.5 µg/g	ND	0.010/0.020	PASS
COUMAPHOS	Any amt	ND	0.010/0.020	PASS	PHOSMET	0.1 µg/g	ND	0.010/0.040	PASS
CYFLUTHRIN	2 µg/g	ND	0.010/0.100	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.010/0.020	PASS
CYPERMETHRIN	1 µg/g	ND	0.010/0.050	PASS	PRALLETHRIN	0.1 µg/g	ND	0.010/0.030	PASS
DAMINOZIDE	Any amt	ND	0.003/0.010	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.010/0.020	PASS
DIAZINON	0.1 µg/g	ND	0.005/0.020	PASS	PROPOXUR	Any amt	ND	0.010/0.020	PASS
DICHLORVOS	Any amt	ND	0.010/0.020	PASS	PYRETHRINS	0.5 µg/g	ND	0.010/0.030	PASS
DIMETHOATE	Any amt	ND	0.010/0.030	PASS	PYRIDABEN	0.1 µg/g	ND	0.010/0.030	PASS
DIMETHOMORPH	2 µg/g	ND	0.010/0.030	PASS	SPINETORAM	0.1 µg/g	ND	0.020/0.070	PASS
ETHOPROPHOS	Any amt	ND	0.004/0.010	PASS	SPINOSAD	0.1 µg/g	ND	0.010/0.040	PASS
ETOFENPROX	Any amt	ND	0.010/0.020	PASS	SPIROMESIFEN	0.1 µg/g	0.044	0.010/0.020	PASS
ETOXAZOLE	0.1 µg/g	ND	0.010/0.020	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.010/0.020	PASS
FENHEXAMID	0.1 µg/g	ND	0.010/0.020	PASS	SPIROXAMINE	Any amt	ND	0.010/0.040	PASS
FENOXYCARB	Any amt	ND	0.004/0.010	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.010/0.020	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.010/0.030	PASS	THIACLOPRID	Any amt	ND	0.004/0.010	PASS
FIPRONIL	Any amt	ND	0.010/0.020	PASS	THIAMETHOXAM	5 µg/g	ND	0.004/0.010	PASS
FLONICAMID	0.1 µg/g	ND	0.005/0.010	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.010/0.040	PASS

2riverlabs.com

M-018: MOISTURE ANALYSIS // JUL 25, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		9.703	N/A

M-055, M-056: MICROBIOLOGICAL CONTAMINANTS BY QPCR // JUL 22, 2021

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

M-026B: MYCOTOXINS BY LC-MS/MS // JUL 25, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	2.000/10.000	N/A	AFLATOXIN G2		ND	3.000/10.000	N/A
AFLATOXIN B2		ND	4.000/10.000	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	5.000/10.000	N/A	OCHRATOXIN A	20 µg/kg	ND	5.000/20.000	PASS

M-053: HEAVY METALS BY ICP-MS // JUL 25, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.030/0.090	PASS	LEAD	0.5 µg/g	< LOQ	0.020/0.070	PASS
CADMIUM	0.2 µg/g	ND	0.030/0.090	PASS	MERCURY	0.1 µg/g	ND	0.030/0.090	PASS

M-066: WATER ACTIVITY BY AQUALAB 3 // JUL 25, 2021

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.498	PASS

M-032: FOREIGN MATERIAL (VISUAL INSPECTION) // JUL 22, 2021

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	1.000	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	0.938 U	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

RESULTS CERTIFIED BY: QUALITY ASSURANCE MANAGER
 RACHELE FRAZER, TWO RIVER LABS, INC
 JUL 26, 2021

RESULTS CERTIFIED BY: LAB DIRECTOR
 RACHELLE GIFFIN, TWO RIVER LABS, INC
 JUL 26, 2021

R. Frazer

Rachelle Giffin

ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

21riverlabs.com